



# e-STUDIO 5015AC

50 pages per minute colour

A4 & A3 duplex

Full Finisher Options Available

Additional Paper Trays Available

Fax Available





**e-STUDIO2515AC**

**e-STUDIO3015AC**

**e-STUDIO3515AC**

**e-STUDIO4515AC**

**e-STUDIO5015AC**

## Product brochure

---

- > Toshiba's A3 colour systems impress with an outstanding document output at a speed of up to 50 pages per minute.
- > Enhance your efficiency with tailor-made workflows, easily accessible via the fully customisable user interface.
- > All models easily integrate into modern business environments and support cloud and mobile printing.



# CONNECT. INTEGRATE. SIMPLIFY.

## Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information — efficiently and safely to maximise your productivity.

Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

## Superior document workflows with impressive colour output.


Don't restrict yourself. Colour can make all the difference and with Toshiba's e-STUDIO5015AC series you can expect high image quality. Combine this with advanced features and you have a multifunction system which covers even the most demanding needs.

- Advanced Toshiba e-BRIDGE Next controller technology for easy integration into IT environments and customisation of document workflows.
- Impeccable, high-quality output with a resolution of up to 1,200 x 1,200 dpi.
- High-volume consistency of colour across small and large print jobs.

## Simple, smart and stylish.

Toshiba has designed the e-STUDIO5015AC series to ensure utmost user experience. Via the 26 cm (10.1"), tablet-style multi-touch screen, which is fully customisable, the systems are intuitive to use and increase your productivity and efficiency.

Complicated multi-step processes can be turned into one-touch functions and will help streamline your document workflows.





# ADVANCED TECHNOLOGY FOR MORE EFFICIENCY.

Businesses require a great amount of flexibility and the possibility to access information and data anytime from anywhere — the e-STUDIO5015AC series is ready for this.

Flexible integration with third-party applications, an embedded web browser and the support of cloud and mobile printing are just some of the features, which will enhance your efficiency and boost your productivity.

As each company has different ways of storing and sharing data, the colour systems can be equipped with apps, which meet your individual requirements or preferences. Whether you wish to connect to cloud services or local applications, we have the solution.

## Cloud solution apps

- > e-BRIDGE Plus for Box
- > e-BRIDGE Plus for Dropbox
- > e-BRIDGE Plus for Google Cloud Print
- > e-BRIDGE Plus for Google Drive
- > e-BRIDGE Plus for OneDrive
- > e-BRIDGE Plus for OneDrive for Business<sup>1)</sup>
- > e-BRIDGE Plus for SharePoint Online<sup>1)</sup>
- > e-BRIDGE Plus for Exchange Online<sup>1)</sup>

## Workflow solution apps

- > e-BRIDGE Plus for Barcode Scan
- > e-BRIDGE Plus for USB Storage

## Environmental Protection

Protecting the environment is embedded in our corporate philosophy and we ensure that our products comply to the highest environmental standards. With ENERGY STAR certification, these devices help you to save money and protect the environment through their energy efficiencies. In addition, our devices arrive with you carbon neutral as all the carbon from procurement, production and shipping is offset by carbon reduction projects around the world as part of our Carbon Zero Scheme.

## Security for your business

Protecting your business' data is at the top of our minds while designing our products and we offer a large range of built-in and optional features to help enhance your security and aid GDPR compliance:

- > The self-encrypting Toshiba Secure HDD provides top level security and makes unauthorised access to the data virtually impossible.
- > Card readers not only provide an extra layer of security but also give direct access to the user's print jobs. We offer a large choice of card readers with different features to ensure your needs are covered.
- > By adding optional security functions the systems conform with HCD-PP v1.0 and are Common Criteria certified.



<sup>1)</sup> Embedded app for Microsoft Office365

# COMPACT AND FULLY CUSTOMISABLE

The e-STUDIO5015AC series comes with a small footprint packed with industry-leading technology and innovations. Designed to help workgroups connect, integrate and simplify processes the systems have an unparalleled set of features.

**Auto Calibration** ensures perfect image quality with consistent colours and crystal-clear lines from the first to the last page.

**RGB Colour Substitution** allows accurate colours with office applications so that your documents are printed exactly the way you want.

**Multi Station Print Solution** allows you to send print jobs from your desktop and retrieve them at up to 50 different MFPs by authenticating at that device, e.g. by simply swiping your badge.

**Embedded Optical Character Recognition (OCR)** simplifies the creation of searchable PDFs and editable document formats such as Microsoft Word.

**Scan and Fax Preview** allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.

**Scan to USB** is great for working with your documents when on the go. Plus, with the option to create PDF/A-2 files your documents are ready for long-term archiving.


**Print from USB** for quick and easy printouts. If necessary, the MFP will automatically scale your documents to fit the available paper size.

**E-mail Direct Printing** can automatically print attached documents from e-mails sent to the MFP.

**Barcode Printing** allows you to send print data from your ERP system directly to the MFP. The barcode sequence is automatically processed and printed without the need of additional middleware.



# CONFIGURATION



## HIGHLIGHTS

### Mobile Printing

Easily connect to these systems with your mobile devices via AirPrint, Google Cloud Print or the Mopria Print Service. By adding the optional Wi-Fi module you can unleash even more mobile print and scan features.

### Unique User Experience

The large and fully customisable user interface makes the MFP intuitive to use. Simply swipe through the menu and select the feature or function you need and modify the screen to suit your individual preferences.

### Dual Scan Document Feeder

An option which holds an amazing 300 originals and boasts an impressive 240 images per minute (ipm) by scanning both sides of the page in a single pass.



# SPECIFICATIONS

## General

<b>Print &amp; Copy Speed</b>	25/30/35/45/50 ppm (A4) 15/16/18/22/25 ppm (A3)
<b>Warm-up Time</b>	Approx. 12 seconds from low power mode
<b>Paper Size &amp; Weight</b>	Cassette 1: A5R-A3, 60-256 gsm Cassette 2: A5R-320 x 460 mm, 60-256 gsm Bypass: 100 x 148 mm-320 x 460 mm, 52-280 gsm, banner paper (up to 305 x 1,200 mm, 90-163 gsm)
<b>Paper Capacity</b>	2x 550 sheets (Cassettes), 1x 100 sheets (Bypass) Maximum 3,200 sheets
<b>Inner Output Tray</b>	400-sheet capacity
<b>Automatic Duplex</b>	A5R-305 x 457 mm, 60-256 gsm
<b>Controller Type</b>	Toshiba e-BRIDGE Next
<b>Control Panel</b>	26 cm (10.1") Multi-Touch Colour Panel
<b>Memory</b>	Toshiba Secure HDD 320 GB <sup>1)</sup> , 4 GB RAM
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN <sup>2)</sup> (IEEE802.11b/g/n), Bluetooth <sup>2)</sup> , Wi-Fi Direct <sup>2)</sup>
<b>Dimensions &amp; Weight</b>	585 x 641 x 787 mm (W x D x H), ~ 78 kg

## Print

<b>Resolution</b>	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
<b>Page Description Language</b>	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PostScript 3 compatible
<b>Supported Systems</b>	Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix, Novell SLES, SAP, AS/400
<b>Network Protocols</b>	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
<b>Colour Modes</b>	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
<b>Colour Settings</b>	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
<b>Mobile Printing</b>	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
<b>Print Functions</b>	Universal Printer Driver, Driver Templates, Driver plug-ins <sup>2)</sup> , Print from USB, Hold print, Tandem printing, E-mail direct printing

## Scan

<b>Resolution</b>	Maximum 600 x 600 dpi
<b>Scan Speed</b>	Reversing Automatic Document Feeder <sup>2)</sup> : up to 73 ipm (300 dpi) in colour and monochrome Dual Scan Document Feeder <sup>2)</sup> : up to 240 ipm (300 dpi) in colour and monochrome
<b>Scan Modes</b>	Auto-Colour (ACS), Colour, Greyscale, Monochrome
<b>File Formats</b>	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF <sup>2)</sup> (and other formats like DOCX, XLSX) <sup>2)</sup>
<b>Scan Functions</b>	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan <sup>2)</sup> , OCR scan <sup>2)</sup> , Scan to Box (e-Filing), WIA, TWAIN

## Copy

<b>Resolution</b>	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 5 bit, equiv. 2,400 x 600 dpi with smoothing (monochrome only)
<b>First Copy Output Time</b>	Colour: Approx. 7.8/7.8/7.8/5.7/5.7 seconds Monochrome: Approx. 5.9/5.9/5.9/4.4/4.4 seconds
<b>Zoom</b>	25-400% (Platen), 25-200% (RADF/DSDF) <sup>2)</sup>
<b>Copy Modes</b>	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
<b>Colour Modes</b>	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
<b>Colour Settings</b>	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
<b>Copy Functions</b>	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

## Fax<sup>2)</sup>

<b>Communication</b>	Super G3, G3 - (opt. 2 <sup>nd</sup> line), Internet Fax T.37
<b>Transmission Speed</b>	Approx. 3 seconds per page
<b>Compression</b>	JBIG, MMR, MR, MH
<b>Fax Memory</b>	1 GB Transmission/Reception
<b>Network-Fax</b>	Driver for Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit)
<b>Incoming Fax Routing</b>	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

## System & Security

<b>Device Management</b>	Top Access for remote administration and configuration
<b>System Features</b>	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while- Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
<b>Accounting &amp; Security</b>	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader <sup>2)</sup> , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler <sup>2)</sup> , IP and MAC address filter, Port filter, Support of SSL and IPsec <sup>2)</sup> protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0 <sup>2)</sup> , Scan to Secure PDF, Pull-printing <sup>2)</sup>

# OPTIONS

<b>REVERSING AUTOMATIC DOCUMENT FEEDER</b>	100-sheet capacity, A5R-A3, 35-157 gsm
<b>DUAL SCAN DOCUMENT FEEDER</b>	300-sheet capacity, A5R-A3, 35-209 gsm
<b>PAPER FEED PEDESTAL</b>	550-sheet capacity (1 Cassette), A5R-320 x 460 mm, 60-256 gsm
<b>DRAWER MODULE</b>	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-256 gsm
<b>ENVELOPE DRAWER</b>	For Paper Feed Pedestal or 2 <sup>nd</sup> cassette Envelopes: 50-envelope capacity, 100 x 162 mm-240 x 380 mm, 60-85 gsm Paper: 550-sheet capacity (1 Cassette), A5R-A4R, 60-256 gsm
<b>LARGE CAPACITY FEEDER</b>	2,000-sheets capacity, A4, 64-105 gsm
<b>INNER FINISHER</b>	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)
<b>MULTI-STAPLE FINISHER</b>	2 trays, 2,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)
<b>SADDLE-STITCH FINISHER</b>	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet centre folding Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 gsm (stapling mode)
<b>HOLE PUNCH UNIT</b>	Available in 2 holes (E), 4 holes (F)

<b>PLATEN COVER</b>
<b>DESK</b>
<b>JOB SEPARATOR</b>
<b>FAX BOARD</b>
<b>WIRELESS LAN / BLUETOOTH MODULE</b> (incl. Wi-Fi Direct)
<b>e-BRIDGE ID-GATE</b>
<b>HARD DISK DRIVE 320 GB<sup>1)</sup></b>
<b>ACCESSORY TRAY</b>
<b>PANEL TEN-KEY OPTION</b>
<b>WORK TRAY</b>
<b>DATA OVERWRITE ENABLER</b>
<b>IPsec ENABLER</b>
<b>EMBEDDED OCR ENABLER</b>
<b>MULTI STATION PRINT ENABLER</b>
<b>HARD COPY SECURITY KIT</b>
<b>META SCAN ENABLER</b>
<b>UNICODE FONT ENABLER</b>
<b>ACCESSIBLE ARM</b>



<sup>1)</sup> 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

<sup>2)</sup> Optional



## About Toshiba TEC UK

Toshiba TEC UK Imaging Systems LTD is part of the globally operating Toshiba TEC Corporation, active in various high-tech industrial sectors.

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

### **TOSHIBA TEC UK IMAGING SYSTEMS LTD**

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

#### **Telephone**

+44 (0)843 2244944

#### **Email**

info@toshibatec.co.uk

#### **Website**

www.toshibatec.co.uk



Unit 2 Petersfield Business Park  
Bedford Road  
Petersfield  
Hampshire  
GU32 3QA  
Tel: 0844 887 0200  
Fax: 0844 887 0199  
email: support@kewvisum.com