



e-STUDIO385P

38 pages per minute mono

A4 duplex

Small footprint

Print

Additional Paper Trays Available

WiFi available



e-STUDIO385P

Datasheet

- > Ideal for small workgroups the e-STUDIO385P monochrome A4 printer offers a reliable document output at a speed of 38 pages per minute and a paper capacity of up to 850 sheets.
- > Thanks to a resolution of up to 1,200 x 1,200 dpi your documents are printed in high-quality and will impress with their crystal clear images and graphics.
- > The intuitive colour LCD display gives you easy access to all functions and informs you about your job status.
- > To help save resources the e-STUDIO385P has energy saving modes and the duplex print function as standard.



If you are looking for a dependable A4 monochrome printer, search no more. The e-STUDIO385P offers fast and reliable high-quality document output and is ideal for small businesses and workgroups.

Packed with advanced features, this printer will effectively handle the requirements of your busy office and help you enhance your efficiency.

You choose how you want to connect to the device: whether you want to use the system as an individual desktop printer, connect it to your network or prefer mobile printing – everything is possible.

Complying with the highest international environmental standards, the e-STUDIO385P comes with features which will help you save valuable resources.

SPECIFICATIONS

General

| | |
|--------------------------------|--|
| Print Speed | 38 ppm |
| Warm-up Time | Approx. 9.5 seconds (from power save mode) |
| Paper Size & Weight | A6-A4/custom, 60-90 gsm (Cassette) A6-A4/custom, 60-120 gsm (Drawer) ¹⁾ 76x127 mm - 216x356 mm, 60-163 gsm (Bypass) |
| Paper capacity | 1x 250 sheets (Cassette), 1x 50 sheet (Bypass) Maximum: 850 sheets |
| Automatic Duplex | A4/custom, 60-90 gsm |
| Inner Output Tray | 150 sheets |
| Control Panel | 2.4" (6 cm) colour LCD with numpad, navigation arrows and LED |
| Memory | 256 MB |
| Interface | 10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, Parallel Port |
| Dimension & Weight | 399 x 382 x 263 mm (W x D x H), ~ 14.2 kg |
| Starter kit | Starter cartridge with Toner and Imaging unit |

Print

| | |
|----------------------------------|--|
| Resolution | Max. 1,200 x 1,200 dpi |
| First Print Output Time | Approx. 6.5 seconds |
| Page Description Language | PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation, XPS, PPDS |
| Supported Systems | Windows 8/7/Vista/XP/Server 2008/ Server 2003 (32/64 bit), Windows Server 2012/ Server 2008 (64bit), Mac OS X 10.5-10.9, Linux/Unix, Novell NetWare |
| Print Functions | Universal Printer Driver, Private print, Multi pages per sheet, Envelope printing |



System & Security

| | |
|----------------------------------|---|
| Device Management | e-BRIDGE Fleet Management System ¹⁾ |
| System Features | Energy saving modes, Automatic toner saturation/ darkness adjustment |
| Accounting & Security | Private print, IP address filter, port filter, support of SNMPv3, SSL and IPSec protocols, 802.1x authentication, Operator Panel Lock |

Options

| |
|----------------------------|
| 250-sheet Drawer |
| 550-sheet Drawer |
| Swivel Cabinet |
| Wireless LAN Module |

¹⁾ Optional

TOSHIBA TEC UK IMAGING SYSTEMS LTD

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone

+44 (0)843 2244944

Fax

+44 (0)843 3512024

Website

www.toshibatec.co.uk



Unit 2 Petersfield Business Park
Bedford Road
Petersfield
Hampshire
GU32 3QA
Tel: 0844 887 0200
Fax: 0844 887 0199
email: support@kewvisum.com

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned. Copyright ©2014 TOSHIBA TEC. DS_e-STUDIO385P_201501 6BY0COP1598



Mixed Sources
Product group from well-managed forests
and other controlled sources
www.fsc.org Cert no. TT-COC-00264
©1996 Forest Stewardship Council

Jav.64729.0115