



e-STUDIO306CS

30 pages per minute colour

A4 duplex

Small footprint

Print, Scan, Copy, Fax

Additional Paper Trays Available



Kewvisum, Unit 2 Petersfield Business Park, Bedford Road, Petersfield, Hampshire, GU32 3QA
Tel: 0844 887 0200 Fax: 0844 887 0199 Email: support@kewvisum.com

e-STUDIO306cs

Datasheet

- > As a compact A4 colour system the e-STUDIO306cs is a true all-in-one multi-talent to cover all needs of your day-to-day business.
- > Impressive, high-quality document output at a speed of up to 30 pages per minute in colour as well as monochrome ensures productivity levels which leave nothing to desire.
- > The maximum paper capacity of 1,450 sheets allow you to print or copy large jobs with ease.
- > Meeting the increasing demand for responsible usage of resources the e-STUDIO306cs also complies with the strictest environmental standards.

The e-STUDIO306cs is ideal for small- to medium-sized businesses and workgroups which want print, scan, copy and fax functionality in one device. Its reliability and outstanding image quality ensure your documents make a lasting impression. The automatic named colour replacement allows you to store an optimised colour palette on the system, making the creation of perfect documents easier and faster.

The built-in HDD enhances the performance significantly allowing a wide range of applications to run directly on the system. Supported by the embedded solution framework, you will find implementing additional software is easier than ever.

As data security is becoming more and more important in today's business world, the e-STUDIO306cs can be equipped with optional card readers. These ensure that documents are only printed after the users authenticate themselves at the system, giving you full control over who has access to sensitive business data.



SPECIFICATIONS

General

Print & Copy Speed	30 ppm
Warm-up Time	Approx. 20 seconds (from power save mode)
Paper Size & Weight	A5-A4/custom, 60-176 gsm (Cassette) 76x127 mm - 216x356 mm, 60-176 gsm (Bypass)
Paper Capacity	1x 250 sheets (Cassette), 1x 1 sheet (Bypass) Maximum 1,451 sheets
Inner Output Tray	150-sheet capacity
Automatic Duplex	A4/custom, 60-105 gsm
Control Panel	17.8 cm (7") Colour Touch Panel
Memory	1,024 MB, Maximum 3,072 MB, 160 GB HDD
Interface	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11 b/g/n)
Dimension & Weight	444 x 589 x 470 mm (W x D x H), 28.2 kg
Starter Kit	Starter cartridge with Toner and Imaging unit

Print

Resolution	Maximum 1,200 x 1,200 dpi
First Print Output Time	Colour: approx. 11.5 seconds Monochrome: approx. 10.5 seconds
Page Description Language	PCL 6, PostScript 3 and PDF v1.7 emulation, XPS, PPDS
Supported Systems	Windows 10/8.1/7/Vista/Server 2008 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6-10.11, Linux/Unix, Citrix
Mobile Printing	AirPrint, Mopria Print Service
Print Functions	Universal Printer Driver, Print from USB, Print from shared folder, Print from SharePoint ¹⁾ , Automatic named colour replacement, Multiple pages per sheet, Envelope printing

Scan

Resolution	Colour: max. 600 x 600 dpi Monochrome: max. 1,200 x 600 dpi
Scan Speed	Simplex: Colour/Monochrome 30 ipm (150 dpi) Duplex: Colour /Monochrome 13.5 ipm (150dpi)
Document Feeder	Simplex/Duplex: 50 sheets, A6-A4/custom, 52-120 gsm
File Formats	TIFF, JPEG, PDF, Secure PDF, PDF/A, XPS
Scan Functions	WS scan, Scan to E-Mail, Scan to USB, Scan to File, Scan to SharePoint ¹⁾ , Scan preview, e-STUDIO Scan, TWAIN

Copy

Resolution	Maximum 600 x 600 dpi
First Copy Output Time	Colour: approx. 11.6 seconds Monochrome: approx. 10.8 seconds
Zoom	25 - 400%
Copy Modes	Text, Text/Photo, Photo, Graphics
Copy Functions	Multiple pages per copy, Mixed-size copy, Margin Shift, ID Card copy

Fax

Communication	Super G3, G3
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, JBIG2, MMR, MR, MH, JPEG
Fax Functions	Colour fax, Speed Dial (up to 500 destinations), Group dialling, Network fax
Incoming Fax Routing	To shared folders, E-Mail

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾
System Features	Energy saving modes, One-touch templates, Remote user interface ¹⁾
Accounting & Security	Private print, IP address filter, Port filter, Support of SNMPv3, HTTPS, SSL and IPsec protocols, 802.1x authentication, Operator Panel Lock, Non-volatile memory wipe, Hard disk encryption, Automatic hard disk wiping, End-of-life disk wiping

Options

550-sheet Duo-drawer	550-sheet capacity drawer, A5-A4/custom, 60-176 gsm 100-sheet bypass, 76x127 mm - 216x355 mm, 60-176 gsm
550-sheet Drawer	550-sheet capacity, A5-A4/custom, 60-176 gsm
Swivel Cabinet lockable	
Adjustable Print Stand	
Memory	
Wireless LAN Module	

¹⁾ Optional



TOSHIBA TEC UK IMAGING SYSTEMS LTD
Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB



Unit 2 Petersfield Business Park
Bedford Road
Petersfield
Hampshire
GU32 3QA
Tel: 0844 887 0200
Fax: 0844 887 0199
email: support@kewvisum.com

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned.

Copyright ©2016 TOSHIBA TEC. DS_e-STUDIO306cs_201604

6BY0COP1607

Jav.66231.0415



Mixed Sources
Product group from well-managed forests
and other controlled sources
www.fsc.org Cert no. TT-COC-00545
©1996 Forest Stewardship Council