



# e-STUDIO305CS

30 pages per minute colour

A4 duplex

Small footprint

Print, Scan, Copy, Fax

Additional Paper Trays Available



Kewvisum, Unit 2 Petersfield Business Park, Bedford Road, Petersfield, Hampshire, GU32 3QA  
Tel: 0844 887 0200 Fax: 0844 887 0199 Email: [support@kewvisum.com](mailto:support@kewvisum.com)

## **e-STUDIO305cs**

### Datasheet

---

- > The e-STUDIO305cs is an impressive multifunction colour system, which covers all the needs of your day-to-day business. Print, scan, copy and fax come as standard functions and make this system a true all-in-one device.
- > Its print speed of 30 pages per minute in colour and monochrome ensures a productivity level which matches today's demanding business professionals.
- > The remarkable image quality gives your documents an extraordinary look – consistent quality from the first print to the last.
- > The large colour LCD display offers users easy access to enhanced features and solutions.
- > Energy saving modes and duplex printing are standard features to help you cost save and conserve valuable resources.



The e-STUDIO305cs is an A4 colour system which offers print, scan, copy and fax functionality as standard. It is ideal for small to medium sized businesses and workgroups who need a reliable device and have high quality standards. Outstanding colours and sharp, clear graphics ensure your documents make a lasting impression.

With a speed of up to 30 pages per minute and many intuitive functions this system will boost your efficiency. Challenging last-minute, high-volume print jobs to meet strict deadlines will become a thing of the past.

Businesses can benefit from the feature rich functionality and connectivity to a portfolio of solutions that streamline workflows and reduce costs. The ability to enable mobile printing from smart devices and cloud storage further facilitates flexible working and business efficiency.

Meeting the increasing demand for responsible usage of resources the e-STUDIO305cs also complies with the strictest environmental standards.

# SPECIFICATIONS

## General

<b>Print Speed</b>	30 ppm
<b>Warm-up Time</b>	Approx. 20 seconds (from power save mode)
<b>Paper Size &amp; Weight</b>	A5-A4/custom, 60-176 gsm (Cassette) 76x127 mm - 216x355 mm, 60-176 gsm (Bypass)
<b>Paper capacity</b>	1x 250 sheets (Cassette), 1x 1 sheet (Bypass) Maximum: 1,451 sheets
<b>Automatic Duplex</b>	A4/custom, 60-105 gsm
<b>Inner Output Tray</b>	250 sheets
<b>Control Panel</b>	4.3" (10.9 cm) Colour Touch Panel
<b>Memory</b>	512 MB, max. 2,560 MB
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0
<b>Dimension &amp; Weight</b>	444 x 558 x 470 mm (W x D x H), ~ 27 kg
<b>Starter kit</b>	Starter cartridge with Toner and Imaging unit

## Print

<b>Resolution</b>	Max. 1,200 x 1,200 dpi
<b>First Print Output Time</b>	Colour: approx. 11.6 seconds Monochrome: approx. 10.8 seconds
<b>Page Description Language</b>	PCL 6, PostScript 3 and PDF v1.7 emulation, XPS, PPDS
<b>Supported Systems</b>	Windows 8/7/Vista/XP/Server 2008/ Server 2003 (32/64 bit), Windows Server 2012/ Server 2008 (64 bit), Mac OS X 10.5-10.9, Linux/Unix, Novell NetWare
<b>Print Functions</b>	Universal Printer Driver, Print from USB, Print from shared folder, Private print, Print from SharePoint <sup>1)</sup> , Named colour replacement, Multi pages per sheet, Envelope printing

## Scan

<b>Resolution</b>	Colour: max. 600 x 600 dpi Monochrome: max. 1,200 x 600 dpi
<b>Scan Speed</b>	Simplex: Colour/Monochrome 30 ipm (150 dpi) Duplex: Colour /Monochrome 13.5 ipm (150dpi)
<b>Document Feeder</b>	Simplex/Duplex: 50 sheets, A6-A4/custom, 52-120 gsm
<b>File Formats</b>	TIFF, JPEG, PDF, Secure PDF, PDF/A, XPS
<b>Scan Functions</b>	Scan to Email, Scan Preview, Scan to File, TWAIN, WS scan, Scan to SharePoint <sup>1)</sup>

## Copy

<b>Resolution</b>	Max. 600 x 600 dpi
<b>First Copy Output Time</b>	Colour: approx. 11.6 seconds Monochrome: approx. 10.8 seconds
<b>Zoom</b>	25 - 400%
<b>Copy Modes</b>	Text/Photo, Graphics
<b>Copy Functions</b>	Multiple pages per copy, Mixed size copy, Margin shift, ID card copy

## Fax

<b>Communication</b>	Super G3, G3
<b>Transmission Speed</b>	Approx. 3 seconds per page
<b>Compression</b>	JBIG, JBIG2, MMR, MR, MH, JPEG
<b>Fax Functions</b>	Colour fax, Speed Dial (up to 500 destinations), Group dialing, Duplex in and out, Network fax
<b>Incoming Fax Routing</b>	To shared folders, E-mail

## System & Security

<b>Device Management</b>	e-BRIDGE Fleet Management System <sup>1)</sup>
<b>System Features</b>	Energy saving modes, One-touch templates, Remote user interface <sup>1)</sup>
<b>Accounting &amp; Security</b>	Private print, IP address filter, port filter, support of SNMPv3 and SSL protocols, 802.1x authentication, Operator Panel Lock

## Options

<b>550-sheet Duo-drawer</b>
<b>550-sheet Drawer</b>
<b>Swivel Cabinet lockable</b>
<b>Adjustable Print Stand</b>
<b>Memory</b>
<b>Wireless LAN Module</b>

<sup>1)</sup> Optional

## TOSHIBA TEC UK IMAGING SYSTEMS LTD

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

### Telephone

+44 (0)843 2244944

### Fax

+44 (0)843 3512024

### Website

[www.toshibatec.co.uk](http://www.toshibatec.co.uk)



Unit 2 Petersfield Business Park  
Bedford Road  
Petersfield  
Hampshire  
GU32 3QA  
Tel: 0844 887 0200  
Fax: 0844 887 0199  
email: [support@kewvisum.com](mailto:support@kewvisum.com)

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned. Copyright ©2014 TOSHIBA TEC. DS\_e-STUDIO305cs\_201501 6BY0COP1602



Jav.64734.0115